

PRE-INSULATED TERMINALS



CONDUCTOR

0.5–1.65mm²

SCREW SIZE	3MM	3.5MM	4MM	5MM	6MM	8MM	10MM
COPPER GRIP	RC1-3	RC1-3.5	RC1-4B	RC1-5	RC1-6	RC1-8	RC1-10
VINYL GRIP		RV1-3.5	RV1-4	RV1-5	RV1-6	RV1-8	RV1-10
UNINSULATED		R1-3.5	R1-4	R1-5	R1-6		
VINYL GRIP (QK)		QKC01	QKC02	QKC03	QKC04	QKC05	QKC06



CONDUCTOR

0.5–1.65mm²

WIDTH / TYPE	WIRE PIN	FLAT BLADE	FLAT BLADE	LIP BLADE	LIP BLADE	2.8 x .5TAB	2.8 x .8TAB
COPPER GRIP	WPC1	FBC1-2.3	FBC1-2.3L	LBC1-3	LBC1-5	QCF1-3/5	QCF1-3/8
VINYL GRIP	WPV1						
VINYL GRIP (QK)		QKC10				QKC52	QKC19



CONDUCTOR

1.04–2.63mm²

SCREW SIZE	3MM	3.5MM	4MM	5MM	6MM	8MM	10MM	12MM
COPPER GRIP	RC2-3	RC2-3.5	RC2-4B	RC2-5	RC2-6	RC2-8	RC2-10	RC2-12
VINYL GRIP	RV2-3	RV2-3.5	RV2-4	RV2-5	RV2-6	RV2-8	RV2-10	RV2-12
UNINSULATED	R2-3		R2-4	R2-5	R2-6	R2-8		
VINYL GRIP (QK)		QKC20	QKC21	QKC22	QKC23	QKC24	QKC25	QKC26



CONDUCTOR

1.04–2.63mm²

WIDTH / TYPE	WIRE PIN	FLAT BLADE	FLAT BLADE	LIP BLADE	LIP BLADE	2.8 x .5TAB	2.8 x .8TAB
COPPER GRIP	WPC2	FBC2-2.3	FBC2-2.3L	LBC2-3	LBC2-5	QCF2-3/5	QCF2-3/8
VINYL GRIP	WPV2						
VINYL GRIP (QK)	QKC30	QKC71				QKC69	QKC70



PRE-INSULATED TERMINALS



CONDUCTOR

0.5–1.65mm²

SCREW SIZE	3.5MM NARROW	3.5MM	4MM	5MM	BUTT SPLICE	NYLON BUTT	PARALLEL SPLICE	END SPLICE
COPPER GRIP	SC1-3	SC1-3.5	SC1-4	SC1-5	BSC1	NBSC1	PSV1	ES1
VINYL GRIP	SV1-3	SV1-3.5	SV1-4	SV1-5	BSV1			
UNINSULATED	S1-3	S1-3.5	S1-4	S1-5				
VINYL GRIP (QK)			QKC07	QKC08	QKC11			



CONDUCTOR

0.5–1.65mm²

WIDTH / TYPE	4.8MM	4.8MM	6.4MM	4.8 x .5TAB	6.4MM	6.4MM	6.4MM	6.4MM	6.4MM	BULLET 4MM	RECEPT .4MM
COPPER GRIP	QCF1-5/5 (.5tab)	QCF1-5/8 (.8tab)	QCF1-6	QCF1-5F	QCF1-6F	QCF1-6F90	QCM1-6F MALE TAB	QCM1-6 MALE TAB	QCF1-6P	BCM1-4	BCF1-4
VINYL GRIP (QK)	QKC13	QKC44	QKC12	QKC66	QKC73	QKC77	QKC16		QKC15	QKC17	QKC18



CONDUCTOR

1.04–2.63mm²

SCREW SIZE	3.5MM	3.5MM	4MM	5MM	BUTT SPLICE	NYLON BUTT	PARALLEL SPLICE	END SPLICE
COPPER GRIP	SC2-3	SC2-3.5	SC2-4	SC2-5	BSC2	NBSC2	PSV2	ES2
VINYL GRIP	SV2-3	SV2-3.5	SV2-4	SV2-5	BSV2			
UNINSULATED		S2-3.5	S2-4	S2-5				
VINYL GRIP (QK)		QKC27	QKC28	QKC29	QKC31			



CONDUCTOR

1.04–2.63mm²

SCREW SIZE	4.8MM	4.8MM	6.4MM	8.0MM	4.8 x .5/.8 TAB	6.4MM	6.4MM	6.4MM	6.4MM
COPPER GRIP	QCF2-5/5 (.5tab)	QCF2-5/8 (.8tab)	QCF2-6	QCF2-8	QCF2-5F/5	QCF2-6F	QCF2-6F90	QCM2-6F MALE TAB	QCM2-6 MALE TAB
VINYL GRIP					QCF2-5F/8				
VINYL GRIP (QK)	QKC62	QKC72	QKC32	QKC58	QKC67/QKC76	QKC35	QKC78	QKC65	



CONDUCTOR

1.04–2.63mm²



WIDTH / TYPE	6.4MM	BULLET 5MM	RECEPT 5MM
COPPER GRIP	QCF2-6P	BCM2-5	BCF2-5
VINYL GRIP (QK)	QKC34	QKC36	QKC37

CONDUCTOR

2.63–6.64mm²



SCREW SIZE	3.5MM	4MM	5MM	6MM	8MM	10MM	12MM	3.5MM
COPPER GRIP	RC5-3.5	RC5-4	RC5-5	RC5-6	RC5-8	RC5-10	RC5-12	SC5-3.5
VINYL GRIP	RV5-3.5	RV5-4	RV5-5	RV5-6	RV5-8	RV5-10	RV5-12	SV5-3.5
UNINSULATED		R5-4	R5-5	R5-6	R5-8	R5-10		
VINYL GRIP (QK)		QKC38	QKC39	QKC40	QKC41	QKC42	QKC43	

CONDUCTOR

2.63–6.64mm²



WIDTH / TYPE	WIRE PIN	FLAT BLADE	FLAT BLADE	LIP BLADE	6.4MM	9.5MM	6.4MM	6.4MM
COPPER GRIP	WPC5	FBC5-3	FBC5-5	LBC5-5	QCF5-6	QCF5-9	QCF5-6F	QCM5-6
VINYL GRIP	WPV5							
VINYL GRIP (QK)	QKC48				QKC50	QKC51	QKC75	QKC87



HEAT SHRINKABLE



CONDUCTOR

0.5–1.65mm²

SCREW SIZE	3.5MM	4MM	5MM	6MM	3.5MM	4MM	5MM	6.4MM
COPPER GRIP	RW1-3.5	RW1-4	RW1-5	RW1-6	SW1-3.5	SW1-4	SW1-5	QWF1-6F



CONDUCTOR

1.04–2.63mm²

SCREW SIZE	3.5MM	4MM	5MM	6MM	8MM	10MM	3.5MM	4MM
COPPER GRIP	RW2-3.5	RW2-4	RW2-5	RW2-6	RW2-8	RW2-10	SW2-3.5	SW2-4



CONDUCTOR

2.63–6.64mm²

SCREW SIZE	4MM	5MM	6MM	8MM	10MM	12MM	5MM
COPPER GRIP	RW5-4	RW5-5	RW5-6	RW5-8	RW5-10	RW5-12	SW5-5



CONDUCTOR

2.63–6.64mm²

SCREW SIZE	4MM	5MM	6MM	BUTT SPLICE	NYLON BUTT	PARALLEL SPLICE	END SPLICE
COPPER GRIP	SC5-4	SC5-5	SC5-6	BSC5	NBSC5	PSV5	ES5
VINYL GRIP	SV5-4	SV5-5	SV5-6	BSV5			
UNINSULATED		S5-5	S5-6				
VINYL GRIP (QK)	QKC45	QKC46	QKC47	QKC49			QKC61



CONDUCTOR

0.5–1.65mm²

SCREW SIZE	6.4mm	BUTT
COPPER GRIP	QWM1-6	BSW1



CONDUCTOR

1.04–2.63mm²

SCREW SIZE	5mm	6.4mm	6.4mm	5mm	5mm	BUTT
COPPER GRIP	SW2-5	QWF2-6F	QWM2-6	BWM2-5	BWF2-5	BSW2



CONDUCTOR

2.63–6.64mm²

SCREW SIZE	BULLET	RECEPT
COPPER GRIP	BCM5-5	BCF5-5
COPPER GRIP (QK)	QKC56	QKC57



CONDUCTOR

2.63–6.64mm²

SCREW SIZE	6mm	6.4mm	6.4mm	BUTT
COPPER GRIP	SW5-6	QWF5-6F	QWM5-6F	BSW5



TERMINALS

Quikcrimp and Carroll terminals and splices have given many years of service providing testament to the quality and reliability of the design and manufacturing processes involved. Both Quikcrimp and Carroll terminals are colour-coded for different cable sizes allowing ease of identification and matching to the appropriate application tool. The wide range of Quikcrimp and Carroll terminals are readily available and ready to ship.

Configurations

Our range offers 4 basic configurations for each type of terminal and splice:

1. Copper Grip

Designed for complete and uniform reliability in the most difficult circuit environments. Each Copper Grip terminal consists of a basic copper plated body, a specially designed copper sleeve fitted over the terminal barrel and a bonded colour-coded insulation sleeve.

2. Vinyl Grip


Vinyl Grip terminals and splices incorporate a hard, strong vinyl insulation sleeve. They provide complete reliability where the circuitry necessitates an insulated connection but operating conditions do not call for a permanent grip on the wire insulation.

3. Uninsulated


Featuring short wire barrels, these terminals and splices are designed specifically for solid, stranded and irregularly shaped conductors. The termination is characterised by a "W" indent crimp, which locates the conductor in a central position making full surface area contact between the barrel and conductor.

4. Heat Shrinkable


These specialised crimp terminals incorporate a colour-coded, heat shrinkable, adhesive lined insulation. This provides a moisture-resistant seal to insulate and protect connections from environmental abuse, wire pullout, abrasion and contaminates.




COPPER GRIP TERMINAL



VINYL GRIP TERMINAL



UNINSULATED TERMINAL



HEAT SHRINKABLE TERMINAL

SIMPLIFIED ORDERING

Product part numbers are generic and easy to follow. The available configurations are listed by terminal type and are colour-coded by wire size to eliminate errors in application.

Q. Terminal Type

- R** Ring
- FB** Flat Blade
- S** Spade
- NBS** Nylon Butt Splice
- WP** Wire Pin
- BC** Bullet Connector
- LB** Lip Blade
- ES** End Splice
- PS** Parallel Splice
- BS** Butt Splice
- QC** Quick Connect

NOTE: THIS PART CONFIGURATOR APPLICABLE TO CARROLL PART NUMBERS

C. Configuration

- C** Copper Grip (Double)
- V** Vinyl Grip (Single)
- W** Heat Shrinkable

F. Gender

- F** Female
- M** Male

1. Cable Size

- 1** Red 0.5–1.5mm² or 22–16 AWG
- 2** Blue 1.5–2.5mm² or 16–14 AWG
- 3** Yellow 2.5–6.0mm² or 12–10 AWG

6. Variation

- F** Fully Insulated
- /5** .5mm Tab Thickness
- P** Piggy Back
- /8** .8mm Tab Thickness
- /12** 12mm Pin Length

F. Stud, Tab or Blade Width

- | | |
|------------------|------------------|
| 3 3.2mm | 3.5 3.7mm |
| 4 4.2mm | 5 5.3mm |
| 6 6.4mm | 8 8.5mm |
| 10 10.5mm | 12 13mm |

Pre-Insulated Ring Terminals



CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	STUD SIZE mm	PACK QTY
RC1-3		Copper	0.5-1.5	RED	3.2	100
RC1-3.5		Copper	0.5-1.5	RED	3.7	100
RV1-3.5	QKC01	Vinyl	0.5-1.5	RED	3.7	100
RC1-4B		Copper	0.5-1.5	RED	4.2	100
RV1-4	QKC02	Vinyl	0.5-1.5	RED	4.2	100
RC1-5		Copper	0.5-1.5	RED	5.3	100
RV1-5	QKC03	Vinyl	0.5-1.5	RED	5.3	100
RC1-6		Copper	0.5-1.5	RED	6.4	100
RV1-6	QKC04	Vinyl	0.5-1.5	RED	6.4	100
RC1-8		Copper	0.5-1.5	RED	8.5	100
RV1-8	QKC05	Vinyl	0.5-1.5	RED	8.5	100
RC1-10		Copper	0.5-1.5	RED	10.5	100
RV1-10	QKC06	Vinyl	0.5-1.5	RED	10.5	100
RC2-3		Copper	1.5-2.5	BLUE	3.2	100
RV2-3		Vinyl	1.5-2.5	BLUE	3.2	100
RC2-3.5		Copper	1.5-2.5	BLUE	3.7	100
RV2-3.5	QKC20	Vinyl	1.5-2.5	BLUE	3.7	100
RC2-4B		Copper	1.5-2.5	BLUE	4.2	100
RV2-4	QKC21	Vinyl	1.5-2.5	BLUE	4.2	100
RC2-5		Copper	1.5-2.5	BLUE	5.3	100
RV2-5	QKC22	Vinyl	1.5-2.5	BLUE	5.3	100
RC2-6		Copper	1.5-2.5	BLUE	6.4	100
RV2-6	QKC23	Vinyl	1.5-2.5	BLUE	6.4	100
RC2-8		Copper	1.5-2.5	BLUE	8.5	100
RV2-8	QKC24	Vinyl	1.5-2.5	BLUE	8.5	100
RC2-10		Copper	1.5-2.5	BLUE	10.5	100
RV2-10	QKC25	Vinyl	1.5-2.5	BLUE	10.5	100
RC2-12		Copper	1.5-2.5	BLUE	13	100
RV2-12	QKC26	Vinyl	1.5-2.5	BLUE	13	100
RC5-3.5		Copper	2.5-6.0	YELLOW	3.7	100
RV5-3.5		Vinyl	2.5-6.0	YELLOW	3.7	100
RC5-4		Copper	2.5-6.0	YELLOW	4.2	100
RV5-4	QKC38	Vinyl	2.5-6.0	YELLOW	4.2	100
RC5-5		Copper	2.5-6.0	YELLOW	5.3	100
RV5-5	QKC39	Vinyl	2.5-6.0	YELLOW	5.3	100
RC5-6		Copper	2.5-6.0	YELLOW	6.4	100
RV5-6	QKC40	Vinyl	2.5-6.0	YELLOW	6.4	100
RC5-8		Copper	2.5-6.0	YELLOW	8.3	100
RV5-8	QKC41	Vinyl	2.5-6.0	YELLOW	8.3	100
RC5-10		Copper	2.5-6.0	YELLOW	10.5	50
RV5-10	QKC42	Vinyl	2.5-6.0	YELLOW	10.5	50
RC5-12		Copper	2.5-6.0	YELLOW	13	50
RV5-12	QKC43	Vinyl	2.5-6.0	YELLOW	13	50



PRE-INSULATED RING TERMINALS

IDEAL CRIMPING TOOL- 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



Pre-Insulated Spade Terminals

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	STUD SIZE mm	PACK QTY
SC1-3		Copper	0.5-1.5	RED	3.2	100
SV1-3		Vinyl	0.5-1.5	RED	3.2	100
SC1-3.5		Copper	0.5-1.5	RED	3.7	100
SV1-3.5	QKC07	Vinyl	0.5-1.5	RED	3.7	100
SC1-4		Copper	0.5-1.5	RED	4.2	100
SV1-4	QKC08	Vinyl	0.5-1.5	RED	4.2	100
SC1-5		Copper	0.5-1.5	RED	5.3	100
SV1-5	QKC09	Vinyl	0.5-1.5	RED	5.3	100
SC2-3		Copper	1.5-2.5	BLUE	3.7	100
SV2-3		Vinyl	1.5-2.5	BLUE	3.7	100
SC2-3.5		Copper	1.5-2.5	BLUE	3.7	100
SV2-3.5	QKC27	Vinyl	1.5-2.5	BLUE	3.7	100
SC2-4		Copper	1.5-2.5	BLUE	4.2	100
SV2-4	QKC28	Vinyl	1.5-2.5	BLUE	4.2	100
SC2-5		Copper	1.5-2.5	BLUE	5.3	100
SV2-5	QKC29	Vinyl	1.5-2.5	BLUE	5.3	100
SC5-3.5		Copper	2.5-6.0	YELLOW	3.7	100
SV5-3.5		Vinyl	2.5-6.0	YELLOW	3.7	100
SC5-4		Copper	2.5-6.0	YELLOW	4.2	100
SV5-4	QKC45	Vinyl	2.5-6.0	YELLOW	4.2	100
SC5-5		Copper	2.5-6.0	YELLOW	5.3	100
SV5-5	QKC46	Vinyl	2.5-6.0	YELLOW	5.3	100
SC5-6		Copper	2.5-6.0	YELLOW	6.4	100
SV5-6	QKC47	Vinyl	2.5-6.0	YELLOW	6.4	100

IDEAL CRIMPING TOOL: 0526 & 0526 ULTRA ► [SEE FROM PAGE 97](#)

Pre-Insulated Vinyl Butt Splices

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	PACK QTY
BSV1	QKC11	Vinyl	0.5-1.5	RED	100
BSV2	QKC31	Vinyl	1.5-2.5	BLUE	100
BSV5	QKC49	Vinyl	2.5-6.0	YELLOW	100

IDEAL CRIMPING TOOL: 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)

Pre-Insulated Nylon Butt Splices (Copper grip)

PART NO.	TYPE	WIRE SIZE mm ²	INSULATION COLOUR	PACK QTY
BSC1	Copper Grip	0.5-1.5	RED	100
NBSC1	Aircraft Type	0.5-1.5	RED	100
BSC2	Copper Grip	1.5-2.5	BLUE	100
NBSC2	Aircraft Type	1.5-2.5	BLUE	100
BSC5	Copper Grip	2.5-6.0	YELLOW	50
NBSC5	Aircraft Type	2.5-6.0	YELLOW	50


IDEAL CRIMPING TOOL: 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



PRE-INSULATED SPADE TERMINALS



PRE-INSULATED BUTT SPLICES



PRE-INSULATED NYLON BUTT SPLICES



PRE-INSULATED PARALLEL SPLICES

Pre-Insulated Parallel Splices (See butt splice for standard wire joining)

PART NO.	WIRE SIZE mm ²	INSULATION COLOUR	PACK QTY
PSV1	0.5-1.5	RED	100
PSV2	1.5-2.5	BLUE	100
PSV5	2.5-6.0	YELLOW	100

IDEAL CRIMPING TOOL- 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)

Pre-Insulated End Splices

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	PACK QTY
ES1	QKC59	Copper	0.5-1.5	OPAQUE	100
ES2	QKC60	Copper	1.5-2.5	OPAQUE	100
ES5	QKC61	Copper	2.5-6.0	OPAQUE	100

Pre-Insulated Wire Pins

CARROLL PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	PIN LENGTH	PACK QTY
WPC1	Copper	0.5-1.5	RED	9	100
WPV1	Vinyl	0.5-1.5	RED	9	100
WPC1/12	Copper	0.5-1.5	RED	12	100
WPV1/12	Vinyl	0.5-1.5	RED	12	100
WPC2	Copper	1.5-2.5	BLUE	9	100
WPV2	Vinyl	1.5-2.5	BLUE	9	100
WPC2/12	Copper	1.5-2.5	BLUE	12	100
WPV2/12	Vinyl	1.5-2.5	BLUE	12	100
WPC5	Copper	2.5-6.0	YELLOW	14	100
WPV5	Vinyl	2.5-6.0	YELLOW	14	100

QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	PIN LENGTH	PACK QTY
QKC10	Vinyl	0.5-1.5	RED	12	100
QKC30	Vinyl	1.5-2.5	BLUE	12	100
QKC48	Vinyl	2.5-6.0	YELLOW	9	100

IDEAL CRIMPING TOOL- 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)

Pre-Insulated Flat Blades

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	BLADE L x W mm	PACK QTY
FBC1-2.3	QKC63	Copper	0.5-1.5	RED	11.4 x 2.3	100
FBC1-2.3L	-	Copper	0.5-1.5	RED	18.4 x 2.3	100
FBC1-3	-	Copper	0.5-1.5	RED	11.0 x 3.0	100
FBC1-3L	-	Copper	0.5-1.5	RED	14.5 x 3.0	100
FBC2-2.3	QKC71	Copper	1.5-2.5	BLUE	11.4 x 2.3	100
FBC2-2.3L	-	Copper	1.5-2.5	BLUE	18.4 x 2.3	100
FBC5-3	-	Copper	2.5-6.0	YELLOW	10.0 x 2.8	100
FBC5-5	-	Copper	2.5-6.0	YELLOW	14.0 x 4.5	50


IDEAL CRIMPING TOOL- 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



PRE-INSULATED
END SPLICES



PRE-INSULATED
WIRE PINS



PRE-INSULATED
FLAT BLADES

Pre-Insulated Lip Blades

PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	BLADE L x W mm	PACK QTY
LBC1-3	Copper	0.5–1.5	RED	17.8 x 2.8	100
LBC1-5	Copper	0.5–1.5	RED	17.8 x 4.6	100
LBC2-3	Copper	1.5–2.5	BLUE	17.8 x 2.8	100
LBC2-5	Copper	1.5–2.5	BLUE	17.8 x 4.6	100
LBC5-3	Copper	2.5–6.0	YELLOW	16.8 x 3.0	50
LBC5-5	Copper	2.5–6.0	YELLOW	16.8 x 4.6	50

IDEAL CRIMPING TOOL: 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



**PRE-INSULATED
LIP BLADES**

Pre-Insulated Quick Connect Female

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	SUIT TAB	PACK QTY
QCF1-3/5	QKC52	Copper	0.5–1.5	RED	2.8 x 0.5	100
QCF1-3/8	QKC19	Copper	0.5–1.5	RED	2.8 x 0.8	100
QCF1-5/5	QKC13	Copper	0.5–1.5	RED	4.8 x 0.5	100
QCF1-5/8	QKC44	Copper	0.5–1.5	RED	4.8 x 0.8	100
QCF1-6	QKC12	Copper	0.5–1.5	RED	6.3 x 0.8	100
QCF2-3/5	QKC69	Copper	1.5–2.5	BLUE	2.8 x 0.5	100
QCF2-3/8	QKC70	Copper	1.5–2.5	BLUE	2.8 x 0.8	100
QCF2-5/5	QKC62	Copper	1.5–2.5	BLUE	4.8 x 0.5	100
QCF2-5/8	QKC72	Copper	1.5–2.5	BLUE	4.8 x 0.8	100
QCF2-6	QKC32	Copper	1.5–2.5	BLUE	6.3 x 0.8	100
QCF2-8	QKC58	Copper	1.5–2.5	BLUE	7.9 x 0.8	100
QCF5-6	QKC50	Copper	2.5–6.0	YELLOW	6.3 x 0.8	100
QCF5-9	QKC51	Copper	2.5–6.0	YELLOW	9.5 x 1.2	100

IDEAL CRIMPING TOOL: 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



**PRE-INSULATED
QUICK CONNECT FEMALE**

Fully Insulated Quick Connect Female

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	INSULATION MATERIAL	SUIT TAB	PACK QTY
QCF1-5F	QKC66	Copper	0.5–1.5	RED	Vinyl	4.8 x 0.5	100
QCF1-5F/8	-	Copper	0.5–1.5	RED	Vinyl	4.8 x 0.8	100
QCF1-6F	QKC16	Copper	0.5–1.5	RED	Nylon	6.3 x 0.8	100
QCF2-5F/5	QKC67	Copper	1.5–2.5	BLUE	Vinyl	4.8 x 0.5	100
QCF2-5F/8	QKC76	Copper	1.5–2.5	BLUE	Vinyl	4.8 x 0.8	100
QCF2-6F	QKC35	Copper	1.5–2.5	BLUE	Nylon	6.3 x 0.8	100
QCF5-6F	QKC55	Copper	2.5–6.0	YELLOW	Nylon	6.3 x 0.8	100

*Nylon Insulation 105°C.

IDEAL CRIMPING TOOL: 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)




**FULLY INSULATED
QUICK CONNECT FEMALE**

90° Fully Insulated Quick Connect Female

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	INSULATION MATERIAL	SUIT TAB	PACK QTY
QCF1-6F90	QKC77	Copper	0.5–1.5	RED	Nylon	6.3 x 0.8	100
QCF2-6F90	QKC78	Copper	1.5–2.5	BLUE	Nylon	6.3 x 0.8	100

IDEAL CRIMPING TOOL: 0525 ► [SEE FROM PAGE 97](#)



**90° FULLY
INSULATED
QUICK CONNECT
FEMALE**

Fully Insulated Quick Connect Male

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	INSULATION MATERIAL	SUIT F	PACK QTY
QCM1-6F	QKC64	Copper	0.5–1.5	RED	Nylon	QCF1-6F	100
QCM2-6F	QKC65	Copper	1.5–2.5	BLUE	Nylon	QCF2-6F	100

IDEAL CRIMPING TOOL· 0525 ► [SEE FROM PAGE 97](#)



FULLY INSULATED QUICK CONNECT - MALE

Pre-Insulated Quick Connect Male

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	INSULATION MATERIAL	SUIT F	PACK QTY
QCM1-6	QKC14	Copper	0.5–1.5	RED	Vinyl	6.3 x 0.8	100
QCM2-6	QKC33	Copper	1.5–2.5	BLUE	Vinyl	6.3 x 0.8	100
QCM5-6	QKC87	Copper	2.5–6.0	YELLOW	Vinyl	6.3 x 0.8	100

IDEAL CRIMPING TOOL· 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



PRE-INSULATED QUICK CONNECT - MALE

Pre-Insulated Quick Connect Piggy Back

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	INSULATION MATERIAL	SUIT TAB	PACK QTY
QCF1-6P	QKC15	Copper	0.5–1.5	RED	Vinyl	6.3 x 0.8	100
QCF2-6P	QKC34	Copper	1.5–2.5	BLUE	Vinyl	6.3 x 0.8	100
QCF5-6P	-	Copper	2.5–6.0	YELLOW	Vinyl	6.3 x 0.8	100

IDEAL CRIMPING TOOL· 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



PRE-INSULATED QUICK CONNECT PIGGY BACK

Pre-Insulated Bullet Male

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	INSULATION MATERIAL	BULLET Ø mm	PACK QTY
BCM1-4	QKC17	Copper	0.5–1.5	RED	Vinyl	4	100
BCM2-5	QKC36	Copper	1.5–2.5	BLUE	Vinyl	5	100
BCM5-5	QKC56	Copper	2.5–6.0	YELLOW	Vinyl	5	100

IDEAL CRIMPING TOOL· 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



PRE-INSULATED BULLET MALE

Pre-Insulated Bullet Female

CARROLL PART NO.	QUIKCRIMP PART NO.	GRIP	WIRE SIZE mm ²	INSULATION COLOUR	INSULATION MATERIAL	BULLET Ø mm	PACK QTY
BCF1-4	QKC18	Copper	0.5–1.5	RED	Vinyl	4	100
BCF2-5	QKC37	Copper	1.5–2.5	BLUE	Vinyl	5	100
BCF5-5	QKC57	Copper	2.5–6.0	YELLOW	Vinyl	5	100
-	QKCN18	Copper	0.5–1.5	RED	Nylon	4	100
-	QKCN37	Copper	1.5–2.5	BLUE	Nylon	5	100

IDEAL CRIMPING TOOL· 0560 & 0560 ULTRA ► [SEE FROM PAGE 97](#)



PRE-INSULATED BULLET FEMALE

