

# KEL-DP multi-membrane cable entry plates, round

pluggable into metric cut-outs M16 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version of the KEL-DP fits perfectly into metric cut-outs M16 | M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54

IP55

IP64

IP65

UL TYPE 12

UL US



RoHS compliant



Made in Germany

## Specifications


<b>IP rating (EN 60529)</b>	IP54, IP55, IP64, IP65
<b>UL Type (UL 50E)</b>	UL Type 12
<b>Material</b>	Elastomer
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 100 C°
<b>Properties</b>	silicone free, halogen free
<b>Mounting options</b>	Snap-in

## Advantages & benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses

## Product types & sizes


### KEL-DP 16|1 A gy round



Part No.	<b>43600</b>
EAN	<b>4251269329791</b>
Package quantity	<b>10</b>
For max. no. of cables	<b>1</b>
Colour	<b>grey (similar RAL 7035)</b>
Height	<b>12 mm</b>
External diameter	<b>23 mm</b>


Mounting height	<b>5 mm</b>
Cut-out size, round	<b>16 mm</b>
Cut-out size, metric	<b>M16</b>
For min. wall thickness	<b>1,5 mm</b>
For max. wall thickness	<b>2,5 mm</b>
Clamping range	<b>1 x 1 - 9.2 mm</b>

### KEL-DP 16|3 A gy round




Part No.	<b>43601</b>
EAN	<b>4251269329807</b>
Package quantity	<b>10</b>
For max. no. of cables	<b>3</b>
Colour	<b>grey (similar RAL 7035)</b>
Height	<b>12 mm</b>
External diameter	<b>23 mm</b>

Mounting height	<b>5 mm</b>
Cut-out size, round	<b>16 mm</b>
Cut-out size, metric	<b>M16</b>
For min. wall thickness	<b>1,5 mm</b>
For max. wall thickness	<b>2,5 mm</b>
Clamping range	<b>3 x 1 - 5.2 mm</b>

**KEL-DP 16|7 A gy round**


Part No. **43602**  
 EAN **4251269329814**  
 Package quantity **10**  
 For max. no. of cables **7**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **23 mm**

Mounting height **5 mm**  
 Cut-out size, round **16 mm**  
 Cut-out size, metric **M16**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **7 x 1 - 3.2 mm**

**KEL-DP 20|4 A gy round**


Part No. **43572**  
 EAN **4251269320477**  
 Package quantity **10**  
 For max. no. of cables **4**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **27 mm**

Mounting height **5 mm**  
 Cut-out size, round **20 mm**  
 Cut-out size, metric **M20**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **4 x 1 - 5.2 mm**

**KEL-DP 20|1 A gy round**


Part No. **43571**  
 EAN **4251269329784**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **27 mm**

Mounting height **5 mm**  
 Cut-out size, round **20 mm**  
 Cut-out size, metric **M20**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **1 x 1 - 14 mm**

**KEL-DP 20|4-1 A gy round**


Part No. **43575**  
 EAN **4251269323911**  
 Package quantity **10**  
 For max. no. of cables **4**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **27 mm**

Mounting height **5 mm**  
 Cut-out size, round **20 mm**  
 Cut-out size, metric **M20**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **2 x 1 - 8 mm**  
**2 x 1 - 4.5 mm**

**KEL-DP 20|5 A gy round**

Part No. **43573**  
 EAN **4251269320484**  
 Package quantity **10**  
 For max. no. of cables **5**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **27 mm**


Mounting height **5 mm**  
 Cut-out size, round **20 mm**  
 Cut-out size, metric **M20**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **1 x 1 - 10.6 mm**  
**2 x 1 - 4.6 mm**  
**2 x 1 - 3.6 mm**

**KEL-DP 20|9 A gy round**

Part No. **43574**  
 EAN **4251269320491**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **27 mm**

Mounting height **5 mm**  
 Cut-out size, round **20 mm**  
 Cut-out size, metric **M20**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **5 x 1 - 4.6 mm**  
**4 x 1 - 3.6 mm**


**KEL-DP 25|4 A gy  
round**



Part No. **43533**  
EAN **4251269310027**  
Package quantity **10**  
For max. no. of cables **4**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **32 mm**

Mounting height **5 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 B gy  
round**



Part No. **50536**  
EAN **4251269333248**  
Package quantity **10**  
For max. no. of cables **4**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **32 mm**

Mounting height **5 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 A bk  
round**



Part No. **50533**  
EAN **4251269314803**  
Package quantity **10**  
For max. no. of cables **4**  
Colour **black**  
Height **12 mm**  
External diameter **32 mm**

Mounting height **5 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 B bk  
round**



Part No. **43535**  
EAN **4251269324079**  
Package quantity **10**  
For max. no. of cables **4**  
Colour **black**  
Height **12 mm**  
External diameter **32 mm**

Mounting height **5 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|6 A gy  
round**



Part No. **43531**  
EAN **4251269310003**  
Package quantity **10**  
For max. no. of cables **6**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **32 mm**

Mounting height **5 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 5.2 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 25|6 A bk  
round**




Part No. **50531**  
EAN **4251269314780**  
Package quantity **10**  
For max. no. of cables **6**  
Colour **black**  
Height **12 mm**  
External diameter **32 mm**

Mounting height **5 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 5.2 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 25|7 A gy**

round




Part No. **43534**  
 EAN **4251269322563**  
 Package quantity **10**  
 For max. no. of cables **7**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **32 mm**

Mounting height **5 mm**  
 Cut-out size, round **25 mm**  
 Cut-out size, metric **M25**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **7 x 1 - 5.2 mm**

**KEL-DP 32|7 A gy**

round




Part No. **43592**  
 EAN **4251269322488**  
 Package quantity **10**  
 For max. no. of cables **7**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **38 mm**

Mounting height **5 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **7 x 1 - 8 mm**

**KEL-DP 32|7 B gy**

round




Part No. **43596**  
 EAN **4251269322525**  
 Package quantity **10**  
 For max. no. of cables **7**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **38 mm**

Mounting height **5 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **7 x 1 - 8 mm**

**KEL-DP 32|10 A gy**

round




Part No. **43532**  
 EAN **4251269310010**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **38 mm**

Mounting height **5 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 32|10 B gy**

round




Part No. **43560**  
 EAN **4251269310133**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **38 mm**

Mounting height **5 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 32|10 A bk**


round



Part No. **50532**  
 EAN **4251269314797**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Colour **black**  
 Height **12 mm**  
 External diameter **38 mm**

Mounting height **5 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**


**KEL-DP 32|10 B bk  
round**



Part No. **50560**  
EAN **4251269314889**  
Package quantity **10**  
For max. no. of cables **10**  
Colour **black**  
Height **12 mm**  
External diameter **38 mm**

Mounting height **5 mm**  
Cut-out size, round **32 mm**  
Cut-out size, metric **M32**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**


**KEL-DP 32|10-2 A gy  
round**



Part No. **43593**  
EAN **4251269322495**  
Package quantity **10**  
For max. no. of cables **10**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **38 mm**

Mounting height **5 mm**  
Cut-out size, round **32 mm**  
Cut-out size, metric **M32**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **10 x 1 - 6.4 mm**


**KEL-DP 32|10-2 B gy  
round**



Part No. **43597**  
EAN **4251269322532**  
Package quantity **10**  
For max. no. of cables **10**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **38 mm**

Mounting height **5 mm**  
Cut-out size, round **32 mm**  
Cut-out size, metric **M32**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **10 x 1 - 6.4 mm**


**KEL-DP 32|11 A gy  
round**



Part No. **43594**  
EAN **4251269322501**  
Package quantity **10**  
For max. no. of cables **11**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **38 mm**

Mounting height **5 mm**  
Cut-out size, round **32 mm**  
Cut-out size, metric **M32**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **2 x 1 - 8 mm**  
**9 x 1 - 5.2 mm**


**KEL-DP 32|11 B gy  
round**



Part No. **43598**  
EAN **4251269322549**  
Package quantity **10**  
For max. no. of cables **11**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **38 mm**


Mounting height **5 mm**  
Cut-out size, round **32 mm**  
Cut-out size, metric **M32**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **2 x 1 - 8 mm**  
**9 x 1 - 5.2 mm**

**KEL-DP 32|13 A gy  
round**




Part No. **43595**  
EAN **4251269322518**  
Package quantity **10**  
For max. no. of cables **13**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **38 mm**

Mounting height **5 mm**  
Cut-out size, round **32 mm**  
Cut-out size, metric **M32**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **13 x 1 - 5.2 mm**

**KEL-DP 32|13 B gy  
round**


Part No. **43599**  
 EAN **4251269322556**  
 Package quantity **10**  
 For max. no. of cables **13**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **38 mm**

Mounting height **5 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **13 x 1 - 5.2 mm**

**KEL-DP 40|9 A gy  
round**


Part No. **43536**  
 EAN **4251269310034**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **50 mm**

Mounting height **5 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **8 x 1 - 9.5 mm**  
**1 x 1 - 11.3 mm**

**KEL-DP 40|9 B gy  
round**


Part No. **43561**  
 EAN **4251269310140**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **50 mm**

Mounting height **5 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **8 x 1 - 9.5 mm**  
**1 x 1 - 11.3 mm**

**KEL-DP 40|16 A gy  
round**


Part No. **43537**  
 EAN **4251269310041**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **50 mm**

Mounting height **5 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **2 x 1 - 5.3 mm**  
**10 x 1 - 6.3 mm**  
**2 x 1 - 9.5 mm**  
**2 x 1 - 11.3 mm**

**KEL-DP 40|16 B gy  
round**


Part No. **43563**  
 EAN **4251269310164**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **50 mm**

Mounting height **5 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **2 x 1 - 5.3 mm**  
**10 x 1 - 6.3 mm**  
**2 x 1 - 9.5 mm**  
**2 x 1 - 11.3 mm**

**KEL-DP 40|17 A gy  
round**


Part No. **43538**  
 EAN **4251269310058**  
 Package quantity **10**  
 For max. no. of cables **17**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **50 mm**

Mounting height **5 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **1 x 1 - 4 mm**  
**16 x 1 - 7.2 mm**

**KEL-DP 40|17 B gy round**


Part No. **43565**  
 EAN **4251269310188**  
 Package quantity **10**  
 For max. no. of cables **17**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **50 mm**

Mounting height **5 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **1 x 1 - 4 mm**  
**16 x 1 - 7.2 mm**

**KEL-DP 50|9 A gy round**


Part No. **43554**  
 EAN **4251269310102**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**

**KEL-DP 50|9 B gy round**


Part No. **43568**  
 EAN **4251269310218**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**

**KEL-DP 50|9 A bk round**


Part No. **50554**  
 EAN **4251269314858**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Colour **black**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**

**KEL-DP 50|9 B bk round**


Part No. **50568**  
 EAN **4251269314933**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Colour **black**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**


**KEL-DP 50|11 A gy round**

Part No. **43555**  
 EAN **4251269310119**  
 Package quantity **10**  
 For max. no. of cables **11**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**


Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **7 x 1 - 7.2 mm**  
**3 x 1 - 11.2 mm**  
**1 x 1 - 22.5 mm**

**KEL-DP 50|11 B gy  
round**


Part No.	<b>43569</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269310225</b>	Cut-out size, round	<b>50 mm</b>
Package quantity	<b>10</b>	Cut-out size, metric	<b>M50</b>
For max. no. of cables	<b>11</b>	For min. wall thickness	<b>2,8 mm</b>
Colour	<b>grey (similar RAL 7035)</b>	For max. wall thickness	<b>4 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>7 x 1 - 7.2 mm</b>
External diameter	<b>60 mm</b>		<b>3 x 1 - 11.2 mm</b>
			<b>1 x 1 - 22.5 mm</b>

**KEL-DP 50|11 A bk  
round**


Part No.	<b>50555</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269314865</b>	Cut-out size, round	<b>50 mm</b>
Package quantity	<b>10</b>	Cut-out size, metric	<b>M50</b>
For max. no. of cables	<b>11</b>	For min. wall thickness	<b>1,5 mm</b>
Colour	<b>black</b>	For max. wall thickness	<b>2,5 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>7 x 1 - 7.2 mm</b>
External diameter	<b>60 mm</b>		<b>3 x 1 - 11.2 mm</b>
			<b>1 x 1 - 22.5 mm</b>

**KEL-DP 50|11 B bk  
round**


Part No.	<b>50569</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269314940</b>	Cut-out size, round	<b>50 mm</b>
Package quantity	<b>10</b>	Cut-out size, metric	<b>M50</b>
For max. no. of cables	<b>11</b>	For min. wall thickness	<b>2,8 mm</b>
Colour	<b>black</b>	For max. wall thickness	<b>4 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>7 x 1 - 7.2 mm</b>
External diameter	<b>60 mm</b>		<b>3 x 1 - 11.2 mm</b>
			<b>1 x 1 - 22.5 mm</b>

**KEL-DP 50|12 A gy  
round**

Part No.	<b>43551</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269310072</b>	Cut-out size, round	<b>50 mm</b>
Package quantity	<b>10</b>	Cut-out size, metric	<b>M50</b>
For max. no. of cables	<b>12</b>	For min. wall thickness	<b>1,5 mm</b>
Colour	<b>grey (similar RAL 7035)</b>	For max. wall thickness	<b>2,5 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>10 x 1 - 9.2 mm</b>
External diameter	<b>60 mm</b>		<b>2 x 1 - 11.2 mm</b>


**KEL-DP 50|12 B gy  
round**

Part No.	<b>43562</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269310157</b>	Cut-out size, round	<b>50 mm</b>
Package quantity	<b>10</b>	Cut-out size, metric	<b>M50</b>
For max. no. of cables	<b>12</b>	For min. wall thickness	<b>2,8 mm</b>
Colour	<b>grey (similar RAL 7035)</b>	For max. wall thickness	<b>4 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>10 x 1 - 9.2 mm</b>
External diameter	<b>60 mm</b>		<b>2 x 1 - 11.2 mm</b>

**KEL-DP 50|12 A bk  
round**


Part No.	<b>50551</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269314827</b>	Cut-out size, round	<b>50 mm</b>
Package quantity	<b>10</b>	Cut-out size, metric	<b>M50</b>
For max. no. of cables	<b>12</b>	For min. wall thickness	<b>1,5 mm</b>
Colour	<b>black</b>	For max. wall thickness	<b>2,5 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>10 x 1 - 9.2 mm</b>
External diameter	<b>60 mm</b>		<b>2 x 1 - 11.2 mm</b>



**KEL-DP 50|12 B bk round**


Part No. **50562**  
 EAN **4251269314896**  
 Package quantity **10**  
 For max. no. of cables **12**  
 Colour **black**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **10 x 1 - 9.2 mm**  
**2 x 1 - 11.2 mm**

**KEL-DP 50|16 A gy round**


Part No. **43550**  
 EAN **4251269310065**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **4 x 1 - 5.3 mm**  
**5 x 1 - 6.3 mm**  
**3 x 1 - 9.5 mm**  
**4 x 1 - 11.3 mm**

**KEL-DP 50|16 B gy round**


Part No. **43564**  
 EAN **4251269310171**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **4 x 1 - 5.3 mm**  
**5 x 1 - 6.3 mm**  
**3 x 1 - 9.5 mm**  
**4 x 1 - 11.3 mm**

**KEL-DP 50|16 A bk round**


Part No. **50550**  
 EAN **4251269314810**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Colour **black**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **4 x 1 - 5.3 mm**  
**5 x 1 - 6.3 mm**  
**3 x 1 - 9.5 mm**  
**4 x 1 - 11.3 mm**

**KEL-DP 50|16 B bk round**


Part No. **50564**  
 EAN **4251269314902**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Colour **black**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **4 x 1 - 5.3 mm**  
**5 x 1 - 6.3 mm**  
**3 x 1 - 9.5 mm**  
**4 x 1 - 11.3 mm**

**KEL-DP 50|18 A gy round**


Part No. **43553**  
 EAN **4251269310096**  
 Package quantity **10**  
 For max. no. of cables **18**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**

**KEL-DP 50|18 B gy round**


Part No. **43567**  
 EAN **4251269310201**  
 Package quantity **10**  
 For max. no. of cables **18**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**

**KEL-DP 50|18 A bk round**


Part No. **50553**  
 EAN **4251269314841**  
 Package quantity **10**  
 For max. no. of cables **18**  
 Colour **black**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**

**KEL-DP 50|18 B bk round**


Part No. **50567**  
 EAN **4251269314926**  
 Package quantity **10**  
 For max. no. of cables **18**  
 Colour **black**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**

**KEL-DP 50|20 A gy round**

Part No. **43552**  
 EAN **4251269310089**  
 Package quantity **10**  
 For max. no. of cables **20**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**

**KEL-DP 50|20 B gy round**


Part No. **43566**  
 EAN **4251269310195**  
 Package quantity **10**  
 For max. no. of cables **20**  
 Colour **grey (similar RAL 7035)**  
 Height **12 mm**  
 External diameter **60 mm**

Mounting height **5 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**

**KEL-DP 50|20 A bk  
round**


Part No. **50552**  
EAN **4251269314834**  
Package quantity **10**  
For max. no. of cables **20**  
Colour **black**  
Height **12 mm**  
External diameter **60 mm**

Mounting height **5 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**

**KEL-DP 50|20 B bk  
round**


Part No. **50566**  
EAN **4251269314919**  
Package quantity **10**  
For max. no. of cables **20**  
Colour **black**  
Height **12 mm**  
External diameter **60 mm**

Mounting height **5 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**

**KEL-DP 50|35 A gy  
round**


Part No. **43556**  
EAN **4251269310126**  
Package quantity **10**  
For max. no. of cables **35**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **60 mm**

Mounting height **5 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **35 x 1 - 5.2 mm**

**KEL-DP 50|35 B gy  
round**


Part No. **43570**  
EAN **4251269310232**  
Package quantity **10**  
For max. no. of cables **35**  
Colour **grey (similar RAL 7035)**  
Height **12 mm**  
External diameter **60 mm**

Mounting height **5 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**

**KEL-DP 50|35 A bk  
round**

Part No. **50556**  
EAN **4251269314872**  
Package quantity **10**  
For max. no. of cables **35**  
Colour **black**  
Height **12 mm**  
External diameter **60 mm**

Mounting height **5 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **35 x 1 - 5.2 mm**

**KEL-DP 50|35 B bk  
round**

Part No. **50570**  
EAN **4251269314957**  
Package quantity **10**  
For max. no. of cables **35**  
Colour **black**  
Height **12 mm**  
External diameter **60 mm**

Mounting height **5 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **35 x 1 - 5.2 mm**

